



BMW R 1200 GS / GSA INJECTOR PROTECTOR INSTALLATION INSTRUCTIONS

Dear Rider,
Thank you for choosing AlRider! Whether a seasoned world adventurer or a first time ADV-Newbie, we welcome you to the AlRider experience. You can install your new product with the utmost confidence. AlRider designs, tests, and manufactures all of its products here in the United States. We are proud to do what we do, and honored to present to you the product of our labors.

Enjoy it, show it off, and most of all, RIDE IT!

Venture On,
Jeremy LeBreton



AlRider Injector Protector for R 1200 GS / GSA

- Package Contents:
- right and left injector guards
 - hardware
 - zip ties
 - instructions

AlRider LLC

Global

mailing: 4000 Aurora Ave N Ste 100
Seattle, WA 98103 USA
phone: 206-922-3618
email: info@alrider.com
web: www.alrider.com

Europe

mailing: Oude Middenweg 231-M
2491 AG DEN HAAG
Netherlands
email: info@alrider.eu
web: www.alrider.eu




Rev 1




Standard R1200GS Kit:

- ① Left and Right Stainless steel Guards
- ② (4) black zip ties
- ③ paper installation instructions



2010 + GSA Only Hardware (PN R108-0-1103):



Additional 2010 + GSA Only Hardware / R1200GS w/ OEM Head Guard (PN R108-0-1103):

- ④ (4) M6 x 40 mm Socket Head Cap Screws
- ⑤ (4) M6 Washers
- ⑥ (4) Aluminum Spacers


Recommended Tools:

- ① T-30 torx tool
- ② M5 ball-end allen key (**for GSA only**)







- ① Begin by pulling off this plastic panel above the intake manifold. Just give it a tug, it pops right off.



- ② Using a T-30 torx tool, remove the two indicated OEM fasteners.



2010 + GSA Only! Install replacement hardware in this order. OEM bolts are no longer needed.



- ③ Place the Injector Protector as shown, and start the OEM torx fasteners with your fingers, do not tighten these down just yet. When installed with GSA stand off kit, injector guards may touch potentiometer guard.



- ④ I put the rear zip-tie in first. Pushing the end in and then pulling it out underneath the frame as shown above.



- ⑤ The second zip-tie is trickier. I pushed it through similarly to the first one, but used my t-30 torx tool to pull it through from under the frame.



- ⑥ After tightening both zip ties, you can snip off the excess.



- ⑦ Now you can use your T-30 torx tool to finish tightening the (2) OEM fasteners. For GSA install, consider routing allen key behind the vent line for upper bolt and routing allen key behind the pot guard for lower bolt.



- ⑧ Done! Now install the guard for the other side, and go ride!

CONGRATULATIONS!

You've completed your installation. If at any point you have questions about your installation or have any feed back for us, we'd love to hear it. A downloadable version of these instructions can be found at our web site. www.AltRider.com

After 5 hours or 100 miles of riding, check your newly installed equipment to ensure all hardware is secure.

Global Office:

email: info@AltRider.com
phone: +1 206-922-3618
address: 4000 Aurora Ave N
Ste 100
Seattle, WA 98103

Europe Office:

email: info@AltRider.eu
address: Oude Middenweg 231-M
2491 AG DEN HAAG
Netherlands

A downloadable PDF of these instructions can be found on this product's page at www.AltRider.com

TERMS OF USE, WARRANTY AND LIABILITY WAIVER

AltRider LLC, a Washington company, having its principal place of business in Seattle, WA ("AltRider") offers its motorcycle accessories (the "Product") with the terms, conditions and notices as follows:

Terms of Use

This Product is offered to you conditioned upon your acceptance without modification of the terms, conditions, and notices contained herein. Installation and/or use of this product implies acceptance of all such terms, conditions, and notices. If you do not agree to these terms, do not buy the Product. If you have already bought the Product and do not agree to these terms, return this Product promptly including the packaging and all written materials, to AltRider.

Limitation of Liability and Warranty Disclaimer

You may return your merchandise for a full refund or exchange, less any original or return shipping fees under these conditions:

1. Only if the merchandise is in 100% factory condition. Original manufacturer's packaging and same condition as sold – original boxes, packaging material, instructions, documentation, parts, and attached tags.
2. Only unused, unscratched, uninstalled, undamaged merchandise will be accepted. Do not install equipment until you are sure you want to keep it. Package items carefully in protective materials before returning them. Never ship an item in its original manufacturers packaging – it will arrive damaged. Please use a postal box or other adequate packaging to ensure your return or exchange is not damaged on the way back to AltRider.com.

To read more about our exchanges and returns policy, on the web, navigate to <http://www.alt rider.com/info/exchangesAndReturns>

Excepting the warranties stated in the preceding paragraph, AltRider hereby disclaims all other warranties and conditions with regard to the Product including all implied warranties and conditions of merchantability and fitness for a particular purpose. There are no warranties which extend beyond the description on the face hereof. AltRider does not warrant against damages or defects arising out of use or installation of the Product. Installation instructions are provided for your convenience. AltRider is not responsible for any damages arising out of the installation, improper or otherwise, of the Product. No warranty of any kind, expressed or implied, is made regarding the safety of this Product.

To the extent allowed by law, AltRider shall not be held liable for any direct, indirect, punitive, incidental, special or consequential damages arising out of, or connected with, the use or misuse of this Product. Buyer assumes all risks and liability arising from use of this Product.

Entire Agreement

This document states the entire obligation of AltRider with respect to the Product. If any part of this agreement is determined to be void, invalid, unenforceable or illegal, including, but not limited to the warranty disclaimers and liability limitations set forth above, then the remainder of the agreement shall remain in full force and effect.

Applicable Law

This agreement is governed by the laws of Washington, USA. You hereby consent to the exclusive jurisdiction and venue of the courts of Washington, USA, in all disputes arising out of or relating to the use of this product.

